

Package: smallstuff (via r-universe)

June 9, 2026

Type Package

Title Dr. Small's Functions

Version 1.0.6

Date 2026-03-09

Description Collection of utility functions supporting statistical modeling, regression analysis, and network analysis workflows used in data science research. Includes tools for model selection, matrix operations, graph analysis, and related statistical computations.

License GPL-3

Encoding UTF-8

Imports Matrix (>= 1.4-1), matlib (>= 0.9.5), rlang, class (>= 7.3-20), igraph (>= 1.3.1), ROCR (>= 1.0-11), data.table (>= 1.14.2)

Suggests leaps (>= 3.1), faraway (>= 1.0.7), knitr, rmarkdown

RoxygenNote 7.3.2

NeedsCompilation no

Author Ellie Small [aut, cre] (ORCID:
<<https://orcid.org/0000-0003-1313-115X>>)

Maintainer Ellie Small <ellie_small@yahoo.com>

Config/pak/sysreqs cmake libfreetype6-dev libglpk-dev libglu1-mesa-dev make texlive libicu-dev libpng-dev libuv1-dev libxml2-dev libgl1-mesa-dev zlib1g-dev

Repository <https://elliesmall.r-universe.dev>

Date/Publication 2026-03-10 09:40:14 UTC

RemoteUrl <https://github.com/cran/smallstuff>

RemoteRef HEAD

RemoteSha 824f323bd2fe331396fba5f094682f800b20bbb7

Contents

smallstuff-package	3
allspan3D	3
allvectors3D	4
as_adj_def	5
CI	5
coord2D	6
coord3D	6
crossing2	7
CVerror	8
CVerrorknn	8
dataSet	9
dCohen	10
get_subgraphs	10
graph_attr_from_df	11
impNA	12
isInt	12
laCrossProd	13
lines3D	13
lmPartReg	14
lmSub	15
logistErrorRate	15
outliers	16
plotCol	16
pop.sd	17
pop.var	18
predict.regsubsets	18
projMatrix	19
qqlineHalf	19
rcpp_hello_world	20
ROCcurve	20
ROCKnn	21
round2	21
span3D	22
systemEq	22
vector2D	23
vector3D	24
weight_distribution	24
withinPC	25

smallstuff-package *Dr. Small's Data Science Functions*

Description

Functions used by students in the Master's of Data Science program at Drew University.

Details

Some functions are used for Statistics using R, such as `pop.var` (calculates the population variance), and `outliers` (finds the outliers in a distribution with their indices), some for Applied Regression Analysis such as `projMatrix` (Calculates the projection matrix) and `systemEq` (solves a system of linear equations), some for Machine Learning such as `lmSub` (finds the best linear model in subset selection), and some for Networks such as `get_subgraphs`, which splits a graph into subgraphs.

Author(s)

Ellie Small, `esmall1@drew.edu`.

Maintainer: Ellie Small `<esmall1@drew.edu>`

`allspan3D` *Plot Span and Vectors in 3D*

Description

Plot the span of a matrix plus any vectors in a 3D plot at one or more angles. A plot is produced for each entry of `th`.

Usage

```
allspan3D(M, V = NULL, th = c(-90, -45, 0, 45, 90, 135), V2 = NULL, col = NULL)
```

Arguments

<code>M</code>	Matrix for which the span should be shown.
<code>V</code>	Either <code>NULL</code> , a vector of length 3, or a matrix with each column a vector of length 3.
<code>th</code>	A vector indicating the horizontal angle at which the plot should be shown.
<code>V2</code>	A matrix or vector of the same dimensions as <code>M</code> indicating the starting points of the vectors in <code>M</code> (default is the origin for all).
<code>col</code>	Vector colors; if entered, must have a value for each vector.

Value

No return value, called for side effects

Examples

```
M=matrix(c(1,2,4,3,0,2),3)
oldpar <- par(mfrow=c(3,2))
allspan3D(M,cbind(M,M[,1]-M[,2]),V2=matrix(c(rep(0,6),M[,2]),3),col=c(2,2,1))
par(oldpar)
```

allvectors3D

Plot Vectors in 3D

Description

Plot one or more vectors in a 3D plot at one or more angles. A plot is produced for each entry of th.

Usage

```
allvectors3D(V, th = c(0, 30, 60, 90, 120, 150), V2 = NULL, col = NULL)
```

Arguments

V	Either a vector of length 3 or a matrix with each column a vector of length 3.
th	A vector indicating the angles at which the plot should be shown.
V2	A matrix or vector of the same dimensions as V indicating the starting points of the vectors in V (default is the origin for all).
col	Vector colors; if entered, must have a value for each vector.

Value

No return value, called for side effects

Examples

```
a=c(2,4,8)
b=c(6,0,4)
oldpar <- par(mfrow=c(3,2))
allvectors3D(cbind(a,b,a-b),V2=matrix(c(rep(0,6),b),3))
par(oldpar)
```

as_adj_def	<i>Create an adjacency matrix from a multigraph according to the definition</i>
------------	---

Description

Create an adjacency matrix using the definition, i.e. an entry equals 1 if there is an edge from the vertex in the column to the vertex in the row, and cycles are counted twice.

Usage

```
as_adj_def(g, ...)
```

Arguments

g	the graph (an igraph object)
...	additional arguments to be passed to the igraph function as_adj

Value

Adjacency matrix for graph g

Examples

```
g=igraph::graph_from_literal(1-2,2-2:3:3:4,3-4:5:6,5-1:1:1,6-6,simplify=FALSE)
as_adj_def(g)
```

CI	<i>Normal Confidence Interval</i>
----	-----------------------------------

Description

Confidence interval for a normally distributed sample mean

Usage

```
CI(x = 0, s = 1, n = 1, level = 0.95)
```

Arguments

x	sample mean
s	standard deviation
n	sample size
level	confidence level

Value

vector with two values containing the confidence interval for the sample mean

Examples

```
CI()  
CI(150, 5, 30, .9)
```

coord2D

Plot a 2D Coordinate System

Description

Plot a coordinate system in 2D with the origin in the center.

Usage

```
coord2D(x = 5, y = 5)
```

Arguments

x	Distance from the origin to the maximum x-value.
y	Distance from the origin to the maximum y-value.

Value

No return value, called for side effects

Examples

```
coord2D()
```

coord3D

Plot a 3D Coordinate System

Description

Plot a coordinate system in 3D with the origin bottom left.

Usage

```
coord3D(th = 0, x = 10, y = 10, z = 10)
```

Arguments

th	The angle at which the 3D plot should be displayed.
x	Distance from the origin to the maximum x-value.
y	Distance from the origin to the maximum y-value.
z	Distance from the origin to the maximum z-value.

Value

A matrix containing the plot coordinates (used when adding features).

Examples

```
coord3D()
```

crossing2

Find Edge Crossings

Description

Determine if edges in a graph cross groups or stay within groups. This is similar to the crossings function in igraph, but uses a vector for the split rather than a communities object.

Usage

```
crossing2(split, g)
```

Arguments

split	a vector with a value for each vertex in g, indicating the group each vertex belongs to
g	an igraph object

Value

A logical vector indicating for each edge if it crosses groups or not. For each edge that crosses, it is TRUE, otherwise it is FALSE.

Examples

```
g=igraph::graph_from_literal(1-2,2-3:4,3-4:5:6,5-1)
split=c("A","A","B","B","A","B")
igraph::V(g);split
igraph::E(g);crossing2(split,g)
```

CVerror	<i>k-Fold Cross Validation Error Rate</i>
---------	---

Description

Given a logistic regression model (via glm), or an LDA or QDA model, and a number of folds k, the k-Fold CV error rate is calculated.

Usage

```
CVerror(mod, k = nrow(stats::model.frame(mod)))
```

Arguments

mod	A logistic regression, LDA, or QDA model
k	Number of folds; by default LOOCV will be returned

Value

The k-fold CV error rate if k is entered, otherwise the LOOCV error rate.

Examples

```
mtcars$am=as.factor(mtcars$am)
gmod=glm(am~mpg,binomial,mtcars)
CVerror(gmod)
```

CVerrorknn	<i>k-Fold Cross Validation Error Rate for KNN</i>
------------	---

Description

Given a dataset with predictors and a vector with responses, a number of neighbors K, and a number of folds k, the k-fold CV error rate for KNN is calculated.

Usage

```
CVerrorknn(pred, resp, K = 1, k = nrow(pred))
```

Arguments

pred	A dataset with predictors
resp	A vector with responses
K	The number of neighborhoods to consider when performing KNN
k	The number of folds

Value

The k-fold CV error rate if k is entered, otherwise the LOOCV error rate.

Examples

```
mtcars$am=as.factor(mtcars$am)
CVerroorknn(mtcars[,c("mpg","hp")],mtcars$am)
```

dataSet	<i>Obtain a Dataset from a Formula</i>
---------	--

Description

Given a formula, a dataset and a subset, retrieve the dataset that fulfills the formula and subset.

Usage

```
dataSet(formula, data, subset = NULL)
```

Arguments

formula	A formula
data	A dataset
subset	Either a logical vector or a vector of indices of the rows to be returned. If NULL (default), all rows are returned.

Value

The dataset in data as a data table with variables as specified in formula and rows as specified by subset.

Examples

```
dataSet(mpg~.-disp,mtcars,10:20)
```

dCohen	<i>Cohen's d</i>
--------	------------------

Description

Calculate Cohen's d for one-sample t tests or two-sample independent tests or two-sample paired t-tests

Usage

```
dCohen(x, y = NULL, mu0 = 0, paired = FALSE)
```

Arguments

x	vector with (numeric) data
y	for two-sample tests, a vector with (numeric) data for group 2
mu0	for one-sample tests, the number to test against
paired	TRUE for a paired two-sample t-test, FALSE for an independent sample t-test

Value

value of Cohen's d

Examples

```
#one-sample
x=c(1:10,5,6,3:8)
dCohen(x,mu0=7)

#two-sample independent
y=1:15
dCohen(x,y)

#two-sample paired
dCohen(x,1:18,paired=TRUE)
```

get_subgraphs	<i>Split a Graph into Subgraphs</i>
---------------	-------------------------------------

Description

Split a graph into subgraphs using the values in a vector to indicate which vertices belong together.

Usage

```
get_subgraphs(g, split)
```

Arguments

g the graph (an igraph object)
 split a vector with a value for each vertex in g

Value

A list of graphs, where each graph is a subgraph of g containing the vertices with the same value in split.

Examples

```
g=igraph::graph_from_literal(1-2,2-3:4,3-4:5:6,5-1)
split=c("A","A","B","B","A","B")
igraph::V(g);split
igraph::V(get_subgraphs(g,split)[[1]])
igraph::V(get_subgraphs(g,split)[[2]])
```

graph_attr_from_df *Add Graph Attributes to a Graph from a Data Frame*

Description

Add graph attributes to a graph from a data frame where each column represents an attribute. Note that only the first row of the data frame is used.

Usage

```
graph_attr_from_df(g, df)
```

Arguments

g the graph (an igraph object) to which the graph attributes should be added
 df data frame, or an object that can be converted to a data frame, where the first row contains a graph attribute in each column

Value

Graph g with the graph attributes in df added.

Examples

```
g=igraph::graph_from_literal(1-2,2-3:4,3-4:5:6,5-1)
df=data.frame(name="Test Graph",descr="A graph")
graph_attr_from_df(g,df)
```

impNA *Impute Missing Values*

Description

Replace missing values in a vector using a function (by default the mean) on this vector.

Usage

```
impNA(x, fn = mean, ...)
```

Arguments

x	A numeric vector
fn	A function to apply to all values in the vector x
...	Additional arguments to be passed to function fn

Value

Vector x with all missing values replaced

Examples

```
v1=c(2,5,3,NA,2,4,1,NA)
#Replace values with the mean
impNA(v1,na.rm=TRUE)
#Replace values with the minimum
impNA(v1,min,na.rm=TRUE)
```

isInt *Determine if the Input contains Integers*

Description

Determine if numbers in a vector are integers (not just of integer type)

Usage

```
isInt(x, inf = TRUE)
```

Arguments

x	integer or numeric type vector
inf	logical field answering whether an infinite value should be considered an integer (default TRUE)

Value

TRUE for each value in x that is an integer, FALSE otherwise

Examples

```
isInt(c(3,3.23,Inf))
```

laCrossProd	<i>Cross Product (Linear Algebra)</i>
-------------	---------------------------------------

Description

Calculate the cross product as defined in linear algebra; note that this differs from the cross product as defined by R.

Usage

```
laCrossProd(x, y)
```

Arguments

x	vector of length 3.
y	vector of length 3.

Value

Cross product of x and y.

Examples

```
x=c(1,2,1)
y=1:3
laCrossProd(x,y)
```

lines3D	<i>Lines in 3D</i>
---------	--------------------

Description

Plot a line in a 3D plot through a set of points

Usage

```
lines3D(pl, x, y, z, ...)
```

Arguments

p1	Matrix containing the current plot coordinates.
x	Vector with x-coordinates.
y	Vector with y-coordinates.
z	Vector with z-coordinates.
...	additional graphical parameters (see lines()).

Value

No return value, called for side effects

Examples

```
p1=coord3D(30)
lines3D(p1,0:10,0:10,rep(0,11))
lines3D(p1,0:10,0:10,c(0,2,1,3:8,7,5),col=2)
```

lmPartReg

Partial Regression Plot

Description

Plot the partial regression plot for one of the predictors of a linear model

Usage

```
lmPartReg(mod, pred, ...)
```

Arguments

mod	A linear model object (obtained via the lm function)
pred	The name (in quotes) of the predictor for which the plot should be produced
...	Any other arguments to be passed to the plot

Value

A partial regression plot for pred in the linear model mod

Examples

```
lmod=lm(mpg~.,mtcars)
lmPartReg(lmod,"wt")
```

lmSub	<i>Best Linear Model in Subset Selection</i>
-------	--

Description

Produces the best linear model for a specific number of predictors in a subset selection.

Usage

```
lmSub(object, d)
```

Arguments

object	An object of type "regsubsets"
d	Number of data predictors

Value

The best linear model with d predictors

Examples

```
subs=leaps::regsubsets(mpg~.,mtcars)
summary(lmSub(subs,3))
```

logistErrorRate	<i>Calculate the Error Rate and Results Table for Logistic Regression Models</i>
-----------------	--

Description

Calculate the testing error rate for a dataset on a logistic regression model (or the training error rate if no dataset is entered), and a results table with responses versus predicted responses.

Usage

```
logistErrorRate(gmod, nw = NULL, p = 0.5)
```

Arguments

gmod	A logistic regression model
nw	A dataset for which a testing error rate should be calculated using the model in gmod. Note that it must contain the predictors as well as the responses. If this argument is NULL (the default) the training error rate will be calculated.
p	Probability (default .5) above which the observation is assigned to the second level of the response.

Value

List with training error rate if `nw` is `NULL`, testing error rate otherwise, and a results table with responses versus predicted responses.

Examples

```
gmod=glm(state~.,binomial,Puromycin)
logistErrorRate(gmod)
```

outliers	<i>Find Outliers</i>
----------	----------------------

Description

Find the outliers in a vector of values.

Usage

```
outliers(x)
```

Arguments

`x` vector

Value

A list with a variable `idx` containing the indices of the outliers and a variable `values` containing the values of the outliers.

Examples

```
x=c(100,30:40,101,25:28)
outliers(x)
```

plotCol	<i>Plot Colors</i>
---------	--------------------

Description

Plot one or more colors

Usage

```
plotCol(col)
```

Arguments

`col` vector with colors

Value

A plot showing the colors in `col`

Examples

```
plotCol("maroon")
```

`pop.sd`

Calculate the Population Standard Deviation

Description

Calculate the standard deviation of a numeric vector if the data constitutes the whole population. Note that missing values are excluded.

Usage

```
pop.sd(x)
```

Arguments

`x` numeric vector

Value

The population standard deviation of the entries in `x`

Examples

```
pop.sd(c(1:6, NA, 7:10))
```

pop.var	<i>Calculate the Population Variance</i>
---------	--

Description

Calculate the variance of a numeric vector if the data constitutes the whole population. Note that missing values are excluded.

Usage

```
pop.var(x)
```

Arguments

x	numeric vector
---	----------------

Value

The population variance of the entries in x

Examples

```
pop.var(c(1:6,NA,7:10))
```

predict.regsubsets	<i>Obtain Predictions using Subset Selection</i>
--------------------	--

Description

Predict responses for the best model in a subset selection with a specific number of predictors.

Usage

```
## S3 method for class 'regsubsets'
predict(object, d, newdata, ...)
```

Arguments

object	An object of type "regsubsets"
d	Number of data predictors
newdata	Dataset for which to predict responses
...	Additional arguments

Value

A set of predicted responses for newdata

Examples

```
subs=leaps::regsubsets(mpg~.,mtcars,subset=1:25)
predict(subs,3L,mtcars[26:32,])
```

projMatrix*Create the Projection Matrix of a Matrix*

Description

Calculates the projection matrix for a full-rank matrix X with its number of rows greater than or equal to its number of columns

Usage

```
projMatrix(X)
```

Arguments

X nxp Matrix; must be full-rank and have $n \geq p$

Value

Projection matrix of X.

Examples

```
projMatrix(matrix(c(3,4,-1,2,1,1),3))
```

qqlineHalf*Line through a Half-Normal Plot*

Description

Plot a line through the first and third quantile of a halfnormal line

Usage

```
qqlineHalf(x)
```

Arguments

x numeric vector

Value

No return value, called for side effects

Examples

```
z=rnorm(100)
faraway::halfnorm(z)
qqlineHalf(z)
```

rcpp_hello_world	<i>Simple function using Rcpp</i>
------------------	-----------------------------------

Description

Simple function using Rcpp

Usage

```
rcpp_hello_world()
```

Examples

```
## Not run:
rcpp_hello_world()

## End(Not run)
```

ROCcurve	<i>Plot the ROC curve</i>
----------	---------------------------

Description

Plot the ROC curve for logistic regression, LDA, or QDA models.

Usage

```
ROCcurve(mod, nw = NULL)
```

Arguments

mod	A logistic regression, LDA, or QDA model
nw	A dataset for which a testing ROC curve should be plotted using the model in mod. Note that it must contain the predictors as well as the responses. If this argument is NULL (the default) the training ROC curve will be plotted.

Value

A plot with the ROC curve will be produced, nothing is returned.

Examples

```
gmod=glm(state~.,binomial,Puromycin)
ROCcurve(gmod)
```

ROCKnn	<i>KNN ROC curve</i>
--------	----------------------

Description

Plot the ROC curve for a KNN model. Note that it can only be used when the response is dichotomous.

Usage

```
ROCKnn(mod, response)
```

Arguments

mod	The output of the knn function, run with prob=TRUE
response	A vector with responses for the testing dataset used to run the knn function.

Value

A plot with the ROC curve will be produced, nothing is returned.

Examples

```
yhat=class::knn(Puromycin[,c("conc","rate")],Puromycin[,c("conc","rate")],
  Puromycin$state,10,prob=TRUE)
ROCKnn(yhat,Puromycin$state)
```

round2	<i>Round to the Nearest Number</i>
--------	------------------------------------

Description

Round to the nearest number with the number of digits as indicated. NOTE: Unlike the base round function it rounds a 5 to the higher number, rather than the nearest even number.

Usage

```
round2(x, digits = 0)
```

Arguments

x	number to be rounded
digits	number of digits to round to

Value

Number rounded to the number of digits indicated

Examples

```
round2(2.5)
```

```
span3D
```

Span of a Matrix

Description

Displays a perspective plot showing the plane that is the span of a matrix

Usage

```
span3D(M, th = 0, ph = 15)
```

Arguments

M	Matrix for which the span should be shown.
th	A vector indicating the horizontal angle at which the plot should be shown.
ph	A vector indicating the vertical angle at which the plot should be shown.

Value

A matrix containing the plot coordinates (used when adding features).

Examples

```
span3D(matrix(c(1,0,0,1,1,1),3))
```

```
systemEq
```

Solve a System of Equations

Description

Solve a system of equations if it has a unique solution; output an error message otherwise

Usage

```
systemEq(A, y)
```

Arguments

A	matrix A in $Ax=y$
y	output vector in $Ax=y$

Value

the unique solution x to $Ax=y$

Examples

```
systemEq(matrix(c(1:3,2,4,4),3),c(3,6,7))
```

vector2D

Add a Vector to a 2D Coordinate System

Description

Add a Vector to a 2D Coordinate System

Usage

```
vector2D(v, fr = c(0, 0), col = 2)
```

Arguments

v	A vector with 2 entries.
fr	Vector containing the point at which the vector should start (defaults to the origin).
col	Color of the vector (defaults to red).

Value

No return value, called for side effects

Examples

```
a=c(2,4)
b=c(0,3)
coord2D()
vector2D(a)
vector2D(b)
vector2D(a-b,b,"blue")
```

vector3D

Add a Vector to a 3D Coordinate System

Description

Add a Vector to a 3D Coordinate System

Usage

```
vector3D(pl, v, fr = rep(0, 3), col = "red")
```

Arguments

pl	Matrix containing the current plot coordinates.
v	A vector with 3 entries.
fr	The point at which the vector should start (defaults to the origin).
col	Color of the vector (defaults to red).

Value

No return value, called for side effects

Examples

```
a=c(2,4,8)
b=c(6,0,4)
pl=coord3D()
vector3D(pl,a)
vector3D(pl,b)
vector3D(pl,a-b,b,3)
```

weight_distribution

Weight Distribution of a Graph

Description

Obtain the weight distribution of a graph, indicating for each strength from zero to the maximum strength of any vertex, the proportion of vertices with such a strength. This assumes positive integer weights.

Usage

```
weight_distribution(g, cumulative = FALSE, ...)
```

Arguments

g the graph (an igraph object)
cumulative TRUE if cumulative weights are to be used; default is FALSE
... additional parameters to be passed to the igraph function `strength`

Value

A vector with the weighted degree distribution for the graph `g`.

Examples

```

g=igraph::graph_from_literal(1-2,2-3:4,3-4:5:6,5-1)
igraph::E(g)$weight=c(1,2,1,4,2,1,1)
table(igraph::strength(g))/6
weight_distribution(g)

```

withinPC

Calculate Row or Column Percentages

Description

Calculate percentages of values in a matrix or table with respect to the row or column totals.

Usage

```
withinPC(X, rows = TRUE, rnd = 1)
```

Arguments

X matrix or table
rows TRUE (default) to calculate by rows, or FALSE to calculate by columns
rnd numbers of digits to round the result to

Value

A matrix or table with percentages

Examples

```

(X=matrix(c(1:12),3))
withinPC(X)

```

Index

allspan3D, 3
allvectors3D, 4
as_adj_def, 5

CI, 5
coord2D, 6
coord3D, 6
crossing2, 7
CError, 8
CErrorknn, 8

dataSet, 9
dCohen, 10

get_subgraphs, 10
graph_attr_from_df, 11

impNA, 12
isInt, 12

laCrossProd, 13
lines3D, 13
lmPartReg, 14
lmSub, 15
logistErrorRate, 15

outliers, 16

plotCol, 16
pop.sd, 17
pop.var, 18
predict.regsubsets, 18
projMatrix, 19

qqlineHalf, 19

rcpp_hello_world, 20
ROCcurve, 20
ROCKnn, 21
round2, 21

smallstuff (smallstuff-package), 3
smallstuff-package, 3
span3D, 22
systemEq, 22
vector2D, 23
vector3D, 24
weight_distribution, 24
withinPC, 25